

Some non-Io-B followed by some non-Io-A.

The non-IoA could be Io-A; but, being so brief and well-defined, it looks more like non-Io-controlled emission.


RCP dominant L bursting 1201–1229 UTC from 16 to 30 MHz, positive frequency drift emission envelopes. (non-Io-B)

RCP dominant L bursting 1256–1312 UTC from 16 to 27 MHz, negative frequency drift emission envelopes. (non-Io-A)

Brief blast of line noise at 1219 UTC.


Jupiter was -12° to $+19^{\circ}$ off axis.

Jupiter was leading the Sun by 78°.




Jupiter's location at midpoint of observed emission (1236 UTC)

Sky map with array HPBW in green.



CML-Io phase plane.


AJ4C0 Observatory 30 Dec 2016 - DPS on TFD Array - RCP - Correction Array 2014 12 18 B.csv - Offset 2050 Gain 5.0



AJ4CO Observatory 30 Dec 2016 - DPS on TFD Array - LCP - Correction Array 2014 12 18 B.csv - Offset 2050 Gain 5.0

-3
- 3
-2
-2
-2
-2
- 2 [,]
-2
-2
-2
-2
-2
1

AJ4C0 Observatory 30 Dec 2016 + DPS on TFD Array + RCP-LCP + Correction Array 2014 12 18 B.csv + Offset 50 Gain 2.0



- 17.0

